

Tubular Clear

TUBULAR 25W 26X85 230V CL E1

0007352



Range Features

- Krypton gas filling offering more light versus standard clear lamps
- E14 or B22 cap
- Not suitable for household room illumination
- Intended for use in special applications including ovens and refrigerators



PRODUCT OVERVIEW

Lamp finish	Clear
Lamp shape	Linear
Colour temperature (K)	2500
CRI (Ra)	100
Dimmable	Yes
EAN code	5410288073521
Energy class	E
Cap/Base	E14
Type	Tubular
Watt (Nominal) (W)	25
Light colour	825 Homelight
Ordering number	0007352
Average life (Rated) (h)	1000
Luminous flux (Rated) (lm)	217
Technology	Incandescent
Voltage (V)	230

DATA TABLE

General data

Average life (Nominal) (h)	1000
Control gear required	No
Lamp finish	Clear
Lamp shape	Linear
Dimmable	Yes
EAN code	5410288073521
Energy class	E
Energy saving lamp	No
Fixture rating	Open
General application	Residential & Consumer

Tubular Clear

TUBULAR 25W 26X85 230V CL E1

0007352

IEC Reference	IEC 60064
IEC Reference 2	IEC 60432-1
Intended purpose	Household Appliances
Cap/Base	E14
Lamp mercury content (mg)	0
Type	Tubular
No. of switching cycles before premature failure (min)	NA
Optimal operating condition (°C)	25
Ordering number	0007352
Range features	Krypton gas filling offering more light versus standard clear lamps E14 or B22 cap Not suitable for household room illumination Intended for use in special applications including ovens and refrigerators
Product name	TUBULAR 25W 26X85 230V CL E1
Average life (Rated) (h)	1000
Special purpose lamp	Yes
Starting time (max) (s)	0.01
Technology	Incandescent
Transformer required	No
Sales pack quantity	10
Warm-up time to 60% of full light (max) (s)	Instant full light

Optical data

Colour temperature (K)	2500
CRI (Ra)	100
Light colour	825 Homelight
Lumen maintenance at end of nominal life (%)	NA
Luminous flux (Nominal) (lm)	210
Luminous flux (Rated) (lm)	217
Suitable for accent lighting	No

Electrical data

Current (A)	0.109
kWh per 1000 hours burning time	25
Lamp power factor	1
Watt (Nominal) (W)	25
Watt (Rated) (W)	25
Voltage (V)	230

Tubular Clear


TUBULAR 25W 26X85 230V CL E1

0007352

Physical data

Max. Lamp Diameter (mm) - D	26
Lamp Length (mm) - C/L	85
Single packaging type	Blister
Weight (kg)	0.02
Outer package dimensions (L x W x H) (cm)	30.00 x 15.00 x 20.00
Single package dimensions (L x W x H) (cm)	2.90 x 2.90 x 9.20

TECHNICAL DRAWINGS



Tubular Clear

TUBULAR 25W 26X85 230V CL E1

0007352

