GE Lighting



43
kWh/1000h

D
energy class

Reflector

OT 42W HALO R80/E27 230V GE BX 1/10 MIC

95119

Product information

GE's HaloReflector range is a direct replacement for regular incandescent lamps offering a crisp white light. These bulbs are the environmentally friendly solution for those who prefer the features and light quality associated with incandescent bulbs.

- Last twice as long and consume up to 30% less electricity than corresponding incandescent lamps.
- Provide instant-on, full light output at start-up and lumens are maintained throughout the life of the product.
- Unlike some compact fluorescent products, these lamps are 100% retrofit with the incandescent lamps they replace.
- Can be used with dimming switches.
- Environmentally friendly with no lead or mercury.
- Up to 2,000 hours life
- Excellent colour rendering, light close to natural (100% CRI)

WORLDWIDE PARTNER

Reflector

OT 42W HALO R80/E27 230V GE BX 1/10 MIC

95119

- More than 90% lumen maintenance over life

Application areas

Hospitality

Home

GE Lighting

Reflector

OT 42W HALO R80/E27 230V GE BX 1/10 MIC

95119

Product data

Product Code	95119
Bulb Shape	Reflector
Bulb Diameter [mm]	80
Maximum Overall Length [mm]	116
Net weight per piece [g]	37
Gross weight per piece [g]	54
Brand	General Electric (GE)
Cap/Base	E27

Performance data

Nominal beam angle [°]	30
Weighted energy consumption [kWh/1000h]	43
Energy efficiency class (EEC)	D
Lamp Lumen Maintenance factor (2000 hours)	80%
Rated Life [h]	2000
Nominal correlated colour temperature (CCT) [K]]	2600

Electrical data

Rated power [W]	42.0
Starting time (sec)	0.0 s
Warm up time up to 60% of full light output	instant
Number of switching cycles	8000
Dimming Capability	Yes
Nominal power [W]	42
Nominal lamp voltage [V]	230

WORLDWIDE PARTNER

Logistic data

DUN Code	10043168951194
EAN Code	0043168765404
Pack Quantity	10
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	120 EUR, 150 UK
Layer quantity EUR	120
Layer quantity UK	150
Pallet quantity EUR (PC)	960
Pallet quantity UK (PC)	1200
Outer case size	401 x 171 x 132 (mm)
Product status	Available

Downloads & Links

Go to the catalog site (HTTP)

Halogen Lamps Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

GE and General Electric are both registered trademarks of the General Electric Company

GE Lighting is constantly developing and improving its products. For this reason, all product descriptions in this brochure are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, GE Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.