




GE  
Lighting



31  
kWh/1000h

D  
energy class

## Reflector

TU 30W HALO R50/E14 230V GE BX 1/10

# 14352

## Product information

GE's HaloReflector range is a direct replacement for regular incandescent lamps offering a crisp white light. These bulbs are the environmentally friendly solution for those who prefer the features and light quality associated with incandescent bulbs.

- Last twice as long and consume up to 30% less electricity than corresponding incandescent lamps.
- Provide instant-on, full light output at start-up and lumens are maintained throughout the life of the product.
- Unlike some compact fluorescent products, these lamps are 100% retrofit with the incandescent lamps they replace.
- Can be used with dimming switches.
- Environmentally friendly with no lead or mercury.
- Up to 2,000 hours life
- Excellent colour rendering, light close to natural (100% CRI)
- More than 90% lumen maintenance over life

---

## Application areas



Hospitality



Home

## Product data

Product Code	14352
Bulb Shape	Reflector
Bulb Diameter [mm]	50
Maximum Overall Length [mm]	86
Net weight per piece [g]	20
Gross weight per piece [g]	35
Brand	General Electric (GE)
Cap/Base	E14

## Performance data

Nominal beam angle [°]	25
Rated beam angle [°]	20
Nominal center beam candlepower (CBCP) [cd]	410
Rated peak intensity in [Cd]	410
Rated Lumens [lm]	155
Weighted energy consumption [kWh/1000h]	30.79
Energy efficiency class (EEC)	D
Lamp Lumen Maintenance factor (2000 hours)	80%
Rated Life [h]	2000
Nominal correlated colour temperature (CCT) [K]	2800

## Electrical data

Nominal lamp power factor...	1
Rated power [W]	30.0
Starting time (sec)	0.0 s
Warm up time up to 60% of full light output	instant
Number of switching cycles	8000
Dimming Capability	Yes
Nominal power [W]	30
Nominal lamp voltage [V]	230

## Logistic data

DUN Code	10043168143520
EAN Code	0043168143523
Pack Quantity	10
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	330 EUR, 410 UK
Layer quantity EUR	330
Layer quantity UK	410
Pallet quantity EUR (PC)	3300
Pallet quantity UK (PC)	4100
Outer case size	258 x 109 x 102 (mm)
Product status	Available

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Halogen Lamps Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)