TUNGSRAM[™]

Innovation is our heritage EST. 1896



62
kWh/1000hA
energy class75
lumens/wattBiax™ Q/E LongLast™ 4-
pinF57W QBX/T4/840/A/4P TU93105988

Product information

The BiaxTM Q/E, is a high output compact fluorescent lamp designed to fulfill customers' demand for higher lumen packages. The ultra compact energy saving Biax[™] Q/E lamps with amalgam technology extend the application space of the innovative quadruple tube design. They can be used both in enclosed luminaires and outdoor applications without significant light loss. Amalgam technology makes the Biax[™] Q/E lamps suitable for use in any burning position with the same light output. The Biax[™] Q/E lamps with a 4pin electrical connection and without an internal starter are designed for high-frequency electronic ballasts.

Quadruple biaxial tubes

Application areas





Product data

Product Code	93105988
Bulb Shape	Oct plug-in
Bulb maximum overall diameter [mm]	58.3
Maximum Overall Length [mm]	180.7
Net weight per piece [g]	164
Gross weight per piece [g]	205
Operating position	U - Universal
Mercury Content [mg]	3
UV radiance	exempt
Brand	Tungsram
Cap/Base	GX24q-5

Performance data

Colour Code	840
Rated Lumens [lm]	4300
Weighted energy consumption [kWh/1000h]	61.6
Energy efficiency class (EEC)	A
Rated Life [h]	20000
Rated median life on electronic (HF / ECG) ballast on IEC 12-hour cycle	20000
Rated median life on electronic (HF / ECG) ballast on IEC 3-hour cycle	17000
Nominal correlated colour temperature (CCT) [K]]	4000
Nominal lumens [lm]	4300
Colour Rendering Index (CRI) [Ra]	82


Electrical data

Rated power [W]	56.0
Operating Temperature (MIN) [°C]	-15
Starting ambient temperature range	-15
Dimming Capability	Yes
Nominal power [W]	57
Nominal lamp voltage [V]	175

Logistic data


Shipment	Standard
DUN Code	15994100011320
EAN Code	5994100011323
Pack Quantity	10
Layer quantity	200 EUR, 260 UK
Layer quantity EUR	200
Layer quantity UK	260
Pallet quantity EUR (PC)	800
Pallet quantity UK (PC)	1040
Outer case size	311 x 131 x 204 (mm)
Product status	Available

Technical drawing



TUNGSRAM

Survival data



Downloads & Links Go to the catalog site (HTTP)

CFL Non-Integrated Spectrum Catalogue (PDF)

Biax[™] LongLast[™] Lamps Brochure (PDF)

Biax[™] Q/E Lamps Data sheet (PDF)

Lighting design tools & calculators (HTTP)

Lighting design tools & calculators (HTTP)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.