

Mini-Lynx Fast-Start V2

MLFS V2 15W B22 827 SLV

0035013



Product features

- Compact, fast-start energy saving lamps, - Up to 80% energy saving compared to Incandescent, - Instant Flicker free start <1second, Delivers 60% light in less than 40 seconds, Average life 12,000hours



PRODUCT OVERVIEW

Average life (Nominal) (h)	12000
Lamp finish	Frosted
Lamp shape	CFLi Stick
Colour temperature (K)	2700
Product EAN number	5410288350134
General application	Hospitality, Residential & Consumer
Product code	0035013
Cap/Base	B22
Type	Mini-Lynx Home
Wattage (W)	15
Light colour	827 Homelight
Luminous flux (lm)	810
Product name	MLFS V2 15W B22 827 SLV
Watt (Rated) (W)	15
Technology	Compact Fluorescent
E-number Sweden	8357526
ETIM Class	EC000819

DATA TABLE

General data

Lamp finish	Frosted
Lamp shape	CFLi Stick
General application	Hospitality, Residential & Consumer
Product code	0035013
Cap/Base	B22
Lamp mercury content (mg)	2.00
Type	Mini-Lynx Home
Product name	MLFS V2 15W B22 827 SLV
Watt (Rated) (W)	15

Mini-Lynx Fast-Start V2

MLFS V2 15W B22 827 SLV

0035013

Technology	Compact Fluorescent
E-number Sweden	8357526
ETIM Class	EC000819

Optical data

Colour temperature (K)	2700
Light colour	827 Homelight
Lumen maintenance at end of nominal life (%)	70
Luminous flux (lm)	810
Efficacy (lm/w)	56.67
Luminous flux (Rated) (lm)	850
Adjustable chromaticity	N

Electrical data

Control gear required	No
Energy efficiency level	A
Equivalent watt (W)	65
kWh per 1000 hours burning time	15
Lamp power factor	0.55
Wattage (W)	15
Mains voltage (V)	220-240V~
Starting time (max) (s)	<1.0
Warm-up time to 60% of full light (max) (s)	< 40
Lamp Energy Label (class)	A
No. Of switching cycles before premature failures	30000
Efficacy (lm/w)	56.67

Lifetime data

Average life (Nominal) (h)	12000
Average life (Rated) (h)	12000

Physical data

Weight (kg)	0.071
Max. Lamp Diameter (mm) - D	49

Packaging

Product EAN number	5410288350134
Packaging single height (cm)	14.0
Packaging single length (cm)	4.5
Single packaging type	Carton

Mini-Lynx Fast-Start V2

MLFS V2 15W B22 827 SLV


0035013

Packaging single width (cm)	4.5
Units per outer package	10
DUN14 (outer)	15410288350131
Packaging outer height (cm)	8.5
Packaging outer length (cm)	24.0
Packaging outer width (cm)	15.5

Safety data

Breakage cleaning instructions	Applicable
Dry applications use only	Yes
Suitable for household illumination	No
Intended purpose	General lighting
Recommendation for disposal at end of life	Applicable
Special purpose lamp	No

TECHNICAL DRAWINGS



Mini-Lynx Fast-Start V2

MLFS V2 15W B22 827 SLV

0035013

