

CANDLE 7W/827 B22 SLV

0031093

**Range features**

- ML Compact 10K Candle 7W B22 827 BIs

**PRODUCT OVERVIEW**

Light colour	827 Homelight
Technology	Compact Fluorescent
Ordering number	0031093
Average life (Rated) (h)	10000
Energy class	A
Lamp shape	Candle
Lamp finish	Frosted
Dimmable	No
Cap/Base	B22
Type	Mini-Lynx Candle
EAN code	5410288310930
CRI (Ra)	80
Colour temperature (K)	2700
Luminous flux (Rated) (lm)	330
Watt (Nominal) (W)	7
Equivalent watt (W)	33
Voltage (V)	230

CANDLE 7W/827 B22 SLV

0031093

DATA TABLE

General data

Dry applications use only	Yes
Technology	Compact Fluorescent
Ordering number	0031093
Energy class	A
Average life (Nominal) (h)	10000
Average life (Rated) (h)	10000
Energy saving lamp	Yes
Lamp finish	Frosted
Lamp shape	Candle
Dimmable	No
Cap/Base	B22
Type	Mini-Lynx Candle
EAN code	5410288310930
Long description	ML Compact 10K Candle 7W B22 827 BIs
Product name	CANDLE 7W/827 B22 SLV
Lamp mercury content (mg)	<3.5
Starting time (max) (s)	< 2.0
Warm-up time to 60% of full light (max) (s)	< 60 s
Control gear required	No
Burning position	Universal
IEC Reference	IEC 60968
IEC Reference 2	IEC 60969
IEC Reference 3	IEC 55015
ILCOS code	FBABH-7/27/1b-B22-39/109
Intended purpose	General lighting
No. of switching cycles before premature failure (min)	> 10000
Special purpose lamp	No
Transformer required	No
Sales pack quantity	10
Optimal operating condition (°C)	25° C, cap-up, Stated lumen output may vary if operated in non-standard position

CANDLE 7W/827 B22 SLV

0031093

Optical data

Light colour	827 Homelight
CRI (Ra)	80
Colour temperature (K)	2700
Lumen maintenance at end of nominal life (%)	80
Luminous flux (Rated) (lm)	330
Luminous flux (Nominal) (lm)	330
Chromaticity coordinate Y	0.42
Chromaticity coordinate X	0.463

Electrical data

kWh per 1000 hours burning time	7
Equivalent watt (W)	33
Watt (Rated) (W)	7
Watt (Nominal) (W)	7
Voltage (V)	230
Current (A)	0.055
Lamp power factor	> 0.5


Physical data

Weight (kg)	0.02
Lamp Length (mm) - C/L	109
Max. Lamp Diameter (mm) - D	39
Single packaging type	Box/Sleeve
Single package dimensions (L x W x H) (cm)	4.30 x 4.30 x 10.50
Outer package dimensions (L x W x H) (cm)	51.00 x 25.00 x 17.00

CANDLE 7W/827 B22 SLV

0031093

TECHNICAL DRAWINGS



ENERGY LABEL

