
TUNGSRAM

Innovation is our heritage EST. 1896







T5 LongLast™ - High Efficiency, G5 Cap FT5 LL HE 35W 830 TU SL1/30 93096203

Product information

T5 LongLast™ lamps are triphosphor fluorescent lamps with 16mm outer diameter (5/8 of an inch). These lamps feature "Starcoat™ Technology" that delivers high quality triphosphor performance. GE produces two ranges of T5 LongLast™ lamps in 4 different lengths:

- High Efficiency offering high lumens per watt
- High Output offering improved lumen package

Application areas





Office



Industrial







Product data

| Product Code | 93096203 |
|------------------------------------|----------|
| Bulb Shape | Tubular |
| Bulb Diameter [mm] | 16 |
| Bulb maximum overall diameter [mm] | 16 |
| Cap to Cap Length (Max) [mm] | 1449 |
| Net weight per piece [g] | 125 |
| Gross weight per piece [g] | 160 |
| Mercury Content [mg] | 2.5 |
| UV radiance | Exempt |
| Brand | Tungsram |
| Cap/Base | G5 |

Performance data

| Colour Code | 830 |
|---|-------|
| Rated Lumens [lm] | 3650 |
| Lumen at 25°C [lm] | 3320 |
| Weighted energy consumption [kWh/1000h] | 39.05 |
| Rated efficacy [lm/W] | 105 |
| Energy efficiency class (EEC) | A+ |
| Rated Life [h] | 30000 |
| Rated median life on electronic (HF / ECG) ballast on IEC 12-hour cycle | 36000 |
| Rated median life on electronic (HF / ECG) ballast on IEC 3-hour cycle | 30000 |
| Nominal correlated colour temperature (CCT) [K]] | 3000 |
| Nominal lumens [lm] | 3650 |
| Colour Rendering Index (CRI) [Ra] | 85 |



Electrical data


| Rated power [W] | 35.5 |
|--------------------------------------|------|
| Design Ambient Temperature [°C] | 35 |
| Design Lamp ambient temperature [°C] | 35 |
| Starting ambient temperature range | -15 |
| Dimming Capability | Yes |
| Nominal power [W] | 35 |

Logistic data

| Standard |
|-----------------------|
| 15994100016165 |
| 5994100016168 |
| 30 |
| SLEEVE |
| OUTER BOX |
| 210 Special |
| 1520 |
| 2000 |
| 1490 x 120 x 102 (mm) |
| Available |
| |




Technical drawing







Lumen maintenance data



Survival data



Service life data





Downloads & Links

Go to the catalog site (HTTP)

Linear Fluorescent Lamps Catalogue (PDF)

LFL T5 LongLast™ Lamps - Data sheet (EN) (PDF)

Lighting design tools & calculators (HTTP)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)