# **TUNGSRAM**<sup>™</sup>

Innovation is our heritage EST. 1896



25

93096206



25 kWh/1000h

TUNGSRAM

D

E

93096206 FT5\_LL HO 24W 83 0 TU SL1/30

10

# Product information

FT5 LL HO 24W 830 TU SL1/30

T5 LongLast<sup>™</sup> lamps are triphosphor fluorescent lamps with 16mm outer diameter (5/8 of an inch). These lamps feature "Starcoat<sup>™</sup> Technology" that delivers high quality triphosphor performance. GE produces two ranges of T5 LongLast<sup>™</sup> lamps in 4 different lengths:

Δ+

83

- High Efficiency offering high lumens per watt
- High Output offering improved lumen package

#### Application areas

A Retail



) Industrial

(III) Education



## TUNGSRAM

## Product data

Product Code	93096206
Bulb Shape	Tubular
Bulb Diameter [mm]	16
Bulb maximum overall diameter [mm]	16
Cap to Cap Length (Max) [mm]	549
Net weight per piece [g]	52
Gross weight per piece [g]	68
Mercury Content [mg]	2.5
UV radiance	Exempt
Brand	Tungsram
Cap/Base	G5

## Performance data

Colour Code	830
Rated Lumens [lm]	2000
Lumen at 25°C [lm]	1750
Weighted energy consumption [kWh/1000h]	24.75
Rated efficacy [lm/W]	89
Energy efficiency class (EEC)	A+
Rated Life [h]	30000
Rated median life on electronic (HF / ECG) ballast on IEC 12-hour cycle	36000
Rated median life on electronic (HF / ECG) ballast on IEC 3-hour cycle	30000
Nominal correlated colour temperature (CCT) [K]]	3000
Nominal lumens [lm]	2000
Colour Rendering Index (CRI) [Ra]	85

## **Electrical data**


Rated power [W]	22.5
Design Ambient Temperature [°C]	35
Design Lamp ambient temperature [°C]	35
Starting ambient temperature range	-15
Dimming Capability	Yes
Nominal power [W]	24

## Logistic data


Shipment	Standard
DUN Code	15994100016196
EAN Code	5994100016199
Pack Quantity	30
Inner pack type	SLEEVE
Outer pack type	OUTER BOX
Layer quantity	360 EUR, 480 UK
Layer quantity EUR	360
Layer quantity UK	480
Pallet quantity EUR (PC)	3600
Pallet quantity UK (PC)	4800
Outer case size	590 x 120 x 102 (mm)
Product status	Available

#### T5 LongLast<sup>™</sup> - High Output, G5 Cap FT5 LL HO 24W 830 TU SL1/30 93096206

## Technical drawing




## Lumen maintenance data




## **TUNGSRAM**<sup>®</sup>

## Survival data



## Service life data



### Downloads & Links

Go to the catalog site (HTTP) Linear Fluorescent Lamps Catalogue (PDF) LFL T5 LongLast™ Lamps - Data sheet (EN) (PDF) Lighting design tools & calculators (HTTP) Lighting design tools & calculators (HTTP) High-res images / Technical drawings (HTTP) Certificate for the Quality Management System of GE Lighting EMEA (PDF) Certificate for the Environmental Management System of GE Lighting EMEA (PDF)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.