# **TUNGSRAM**<sup>™</sup>

Innovation is our heritage EST. 1896



### ConstantColor™ CMH Single Ended CMH150/T/UVC/U/830/G12 TU 93095373

## **Product information**


GE's low watt **CMH lamps** have opened new possibilities for lighting design, combining the power and light quality of far larger and less efficient lamps. It is now possible to achieve lighting design that could not be achieved previously with inferior technologies. GE's new **ConstantColor™ CMH Precise™** technology platform has been developed with specific focus to retail applications. GE Precise™ technology offers superb overall light quality, outstanding lumen maintenance, improved efficacy, while maintaining long life and reliability. These qualities are why GE is the leader in ceramic metal halide technology.

#### Application areas









# TUNGSRAM

#### Product data

Product Code	93095373
Light Center Length [mm]	56
Bulb Shape	Tubular
Bulb Finish	Clear
Maximum Overall Length [mm]	100
Net weight per piece [g]	32
Gross weight per piece [g]	42
Operating position	U - Universal
Mercury Content [mg]	11.6
UV radiance	Exempt
Brand	Tungsram
Cap/Base	G12

### Performance data

Colour Code	830
Rated Lumens [lm]	14970
Weighted energy consumption [kWh/1000h]	160.27
Nominal efficacy [LpW]	93
Rated efficacy [LpW]	102.7
Energy efficiency class (EEC)	A+
Nominal chromaticity coordinate X	0.435
Nominal chromaticity coordinate Y	0.4
Nominal correlated colour temperature (CCT) [K]]	3000
Nominal lumens [lm]	14000
Colour Rendering Index (CRI) [Ra]	80


#### **Electrical data**

Rated power [W]	145.7
Lamp Current [A]	1.9
Design Ambient Temperature [°C]	25
Run-up time (sec)	180
Hot restart time (sec)	900
Dimming Capability	No
Ballast Required	Yes
Nominal power [W]	150
Nominal lamp voltage [V]	93


#### Logistic data

DUN Code	15994100016011
EAN Code	5994100016014
Pack Quantity	12
Layer quantity	396 EUR, 504 UK
Layer quantity EUR	396
Layer quantity UK	504
Pallet quantity EUR (PC)	2772
Pallet quantity UK (PC)	3528
Outer case size	186 x 146 x 140 (mm)
Product status	Available

#### Light distribution




#### Lumen maintenance data



### TUNGSRAM

#### Survival data



#### Downloads & Links

Go to the catalog site (HTTP) Photometry (IES) Product datasheet (PDF) High-res images / Technical drawings (HTTP)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.