

Trungsram

Innovation is our heritage EST. 1896











ConstantColor™ CMH Supermini

CMH35/T/UVC/U/942/GU6.5 TU 93095262

Product information

CMH lamps have opened new possibilities for lighting design, combining the power and light quality of far larger and less efficient lamps. It is now possible to achieve lighting design that could not be achieved previously with inferior technologies.

ConstantColor™ CMH Precise™ technology platform has been developed with specific focus to retail applications. GE Precise™ technology offers superb overall light quality, outstanding lumen maintenance, improved efficacy, whihle maintaining long life and reliability. These qualities are why GE is the leader in ceramic metal halide technology.

Application areas









ConstantColor™ CMH Supermini CMH35/T/UVC/U/942/GU6.5 TU 93095262

Product data

Product Code	93095262
Light Center Length [mm]	30
Bulb Shape	Tubular
Bulb Finish	Clear
Maximum Overall Length [mm]	52
Net weight per piece [g]	8
Gross weight per piece [g]	20
Operating position	U - Universal
UV radiance	Exempt
Brand	Tungsram
Cap/Base	GU6.5

Performance data

942
3350
42.36
97
87
A
0.377
0.366
4000
3400
90



ConstantColor™ CMH Supermini CMH35/T/UVC/U/942/GU6.5 TU 93095262

Electrical data

Rated power [W]	38.5
Lamp Current [A]	0.4
Design Ambient Temperature [°C]	25
Run-up time (sec)	90
Hot restart time (sec)	300
Ballast Required	Yes
Nominal power [W]	35
Nominal lamp voltage [V]	95


Logistic data

DUN Code	15994100015908	
EAN Code	5994100015901	
Pack Quantity	12	
Inner pack type	BOX	
Outer pack type	OUTER BOX	
Layer quantity	1344 EUR, 1704 UK	
Layer quantity EUR	1344	
Layer quantity UK	1704	
Pallet quantity EUR (PC)	17472	
Pallet quantity UK (PC)	22152	
Outer case size	106 x 82 x 82 (mm)	
Product status	Available	


ConstantColor™ CMH Supermini CMH35/T/UVC/U/942/GU6.5 TU

.MH35/1/UVC/U/942/GU6.5 10 93095262

Light distribution



Lumen maintenance data






ConstantColor™ CMH Supermini

CMH35/T/UVC/U/942/GU6.5 TU 93095262

Survival data



Downloads & Links

Go to the catalog site (HTTP)

Photometry (IES)

Product datasheet (PDF)

High-res images / Technical drawings (HTTP)