



GE Start GU10 LED4.5/GU10/840/100-240V/35/BX 1/8 **93031411**

Product information

This new entry level range of highly competitive LED GU10 products consume only 3W and 4.5W respectively and offer a fantastic energy saving alternative to 35W and 50W Halogen GU10 lamps.

Application areas





(B) Hospitality

ਰ Home







Product data

Product Code	93031411
Bulb Shape	Reflector
Bulb Finish	White
Bulb Diameter [mm]	50.2
Nominal Length [mm]	53.7
Net weight per piece [g]	30
Brand	GE BX
Cap/Base	GU10

Performance data

Colour consistency	6 steps
Nominal beam angle [°]	35
Nominal center beam candlepower (CBCP) [cd]	800
Weighted energy consumption [kWh/1000h]	4.5
Nominal useful lumens [lm]	365
Useful lumens (at 90° cone) [lm]	365
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	12000
Nominal correlated colour temperature (CCT) [K]]	4000
Nominal lumens [lm]	390
Colour Rendering Index (CRI) [Ra]	86

Electrical data

Nominal lamp power factor	0.5
Rated power [W]	4.5
Number of switching cycles	50000
Dimming Capability	No
Nominal power [W]	4.5
Nominal lamp voltage [V]	230





Logistic data

DUN Code	10064894539043
EAN Code	0064894539046
Pack Quantity	8
Inner pack type	Вох
Product status	Available

Downloads & Links

Go to the catalog site (HTTP)

Product datasheet (PDF)

GU10 range Datasheets (HTTP)

GE Start GU10 range images (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)