




<b>3</b> kWh/1000h	<b>A++</b> energy class	<b>80</b> lumens/watt
-----------------------	----------------------------	--------------------------

## GU10 Start

LED3/GU10/827/100-240V/35/BX 1/8  
93031285

## Product information

This new entry level range of highly competitive LED GU10 and R50 products consume only 3.5W and 5W respectively and offer a fantastic energy saving alternative to 50W and 35W Halogen GU10 lamps.



## Application areas

- Retail
- Office
- Hospitality
- Home

## Product data

Product Code	93031285
Bulb Shape	Reflector
Bulb Finish	White
Bulb Diameter [mm]	50.2
Nominal Length [mm]	53.7
Net weight per piece [g]	30
Brand	General Electric (GE)
Cap/Base	GU10

## Performance data

Nominal/ Rated Beam Angle [°]	35
Colour consistency	6 steps
Nominal center beam candlepower (CBCP) [cd]	550
Weighted energy consumption [kWh/1000h]	3
Nominal useful lumens [lm]	230
Useful lumens (at 90° cone) [lm]	230
Rated efficacy [lm/W]	76.66666666666667
Energy efficiency class (EEC)	A++
Rated life L70/B50 [h]	12000
Nominal correlated colour temperature (CCT) [K]	2700
Nominal lumens [lm]	240
Colour Rendering Index (CRI) [Ra]	80


## Electrical data

Nominal lamp power factor...	0.5
Rated power [W]	3.0
Number of switching cycles	50000
Dimming Capability	No
Nominal lamp voltage range [V]	230
Nominal power [W]	3
Nominal lamp voltage [V]	230

## Logistic data

DUN Code	10064894538688
EAN Code	0064894538681
Pack Quantity	8
Inner pack type	Box
Product status	Available

## Photometric Data



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Product datasheet \(PDF\)](#)

[Photometry \(IES\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Images \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

