




GE  
Lighting



## LED Recessed Spotlight


RSTA-D7-640-7SR-40

**93066766**

### Product information

GE Lighting introduces the new LED Recessed Spotlight fixture range. These LED Spotlights are ideal for small areas or when you are looking for directional lighting. These LED fixtures are designed to offer quick replacement option for standard halogen spots.

### Application areas




Hospitality



Office



Retail



## Product data

Mounting type	Recessed
Dimensions	Ø 88 ±2 x 34.5±2mm
Energy efficiency class (EEC)	A+
IP Rating	20
Certifications	CE
Weight [kg]	with driver: 0,17 ; without driver: 0,13
DIALux description	GE - LED Recessed Spotlight - 550lm - 6W - 4000K - 80CRI - 93066766[SKU] - Recessed
Body colour	White

## Performance data

Operating Voltage	220-240V
Rated efficacy [lm/W]	90
Current [A]	24-34mA
Total system power	6
Nominal lumens [lm]	550
Rated lumens [lm]	550
Rated power [W]	6
Rated life [h]	30 000 / L70
Nominal correlated colour temperature (CCT) [K]	4000
Colour rendering index (CRI) [Ra]	80

## Optical data

Nominal beam angle [°]	40
------------------------	----




## Electrical data

Nominal lamp power factor	>0,9
Class	Class II
Controllability	Constant Current Driver


## Logistic data

Product status	Available
----------------	-----------

## Photometric Data



## Technical drawing



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[LED Recessed Spotlight Datasheet \(PDF\)](#)

[LED Recessed Spotlight Images \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)