

ToLEDo Outdoor Ball

Ball IP44 Green E27

0026886



Range Features

-



PRODUCT OVERVIEW

Lamp finish	Coloured
Lamp shape	Ball
Dimmable	No
EAN code	5410288268866
Cap/Base	E27
Type	ToLEDo Outdoor Ball
Watt (Nominal) (W)	0.5
Ordering number	0026886
Average life (Rated) (h)	25000
Technology	LED
Voltage (V)	220-240
Colour consistency (SDCM)	6

DATA TABLE

General data

Average life (Nominal) (h)	25000
Control gear required	No
Lamp finish	Coloured
Lamp shape	Ball
Control gear availability	No
Dimmable	No
Dry applications use only	No
EAN code	5410288268866
Energy saving lamp	Yes
General application	Hospitality; Residential & Consumer
Intended purpose	No
Cap/Base	E27
Lamp mercury content (mg)	0

ToLEDo Outdoor Ball

Ball IP44 Green E27

0026886

Type	ToLEDo Outdoor Ball
No. of switching cycles before premature failure (min)	100000
Optimal operating condition (°C)	25
Ordering number	0026886
Product name	Ball IP44 Green E27
Average life (Rated) (h)	25000
Special purpose lamp	Yes
Starting time (max) (s)	0.05
Technology	LED
Sales pack quantity	1
Warm-up time to 60% of full light (max) (s)	< 1s => 60%
E-number SE	8296507
E-number FI	4740401

Optical data

Chromaticity coordinate X	-1
Chromaticity coordinate Y	-1
Lumen maintenance at end of nominal life (%)	80
Colour consistency (SDCM)	6

Electrical data

Current (A)	20
Drive current (mA)	20
kWh per 1000 hours burning time	1
Lamp power factor	0.15
Watt (Nominal) (W)	0.5
Watt (Rated) (W)	0.5
Voltage (V)	220-240

Physical data

Diameter (mm)	45
Max. Lamp Diameter (mm) - D	45
Lamp Length (mm) - C/L	70
Length base to pin Min-Max - B	70
Single packaging type	Box/Sleeve
Weight (kg)	0.02
Inner package net weight (kg)	0.23
Inner package dimensions (L x W x H) (cm)	22.50 x 9.20 x 9.50
Outer package dimensions (L x W x H) (cm)	49.50 x 29.50 x 11.50

ToLEDo Outdoor Ball

Ball IP44 Green E27

0026886

Single package dimensions (L x W x H)
(cm) 8.50 x 4.40 x 4.40

TECHNICAL DRAWINGS

E27

