

LED CLASSIC



Key Features:



Lasts for 25, 000 hours



High lumen Output



2700K – CRI > 82




Instant start



Dimmable & non-dimmable version

Certification:



Cap available in:



Order code	Description	Watts (energy used)	Cap type	Lumens (light output)	Life (hours)	Beam angle (degrees)	Dimmable	Colour (K)	Length (mm)	Max Diameter (mm)	Outer box	Box
LED Classic												
120LA7B22COA27KV3	LED Classic 7W B22 Coated 2700K 470lm 1PK	7	B22	470	25,000	230	-	2,700	118	60	4	X
120LA7E27COA27KV3	LED Classic 7W E27 Coated 2700K 470lm 1PK	7	E27	470	25,000	230	-	2,700	118	60	4	X
120LDA10B22COA27KV3	LED A-Lamp 10W COATED B22 2700K SM V3	10	B22	810	25,000	230	-	2,700	118	60	6	X
120LDA10E27COA27KV3	LED A-Lamp 10W COATED E27 2700K SM V3	10	E27	810	25,000	230	-	2,700	118	60	6	X
120LA10B22COA27KD	LED Classic 10W B22 Coated 2700K 810lm 1PK Dim	10	B22	810	25,000	230	Yes	2,700	118	60	4	X
120LA10E27COA27KD	LED Classic 10W E27 Coated 2700K 810lm 1PK Dim	10	E27	810	25,000	230	Yes	2,700	118	60	4	X
TBC	LED Standard Classic 12W E27 Coated 1055lm Dim 2700K	12	E27	1055	25,000	230	Yes	2,700	117	61	4	X
TBC	LED Standard Classic 12W B22 Coated 1055lm Non-dim 2700K	B22	b22	1055	25,000	230	-	2,700			4	X
TBC	LED Standard Classic 12W E27 Coated 1055lm Non-dim 2700K	12	E27	1055	25,000	230	-	2,700			4	X
TBC	LED Standard Classic 15W B22 Coated 1521lm Non-dim 2700K	15	B22	1521	25,000	230	-	2,700	128	65	4	X
TBC	LED Standard Classic 15W E27 Coated 1521lm Non-dim 2700K	15	E27	1521	25,000	230	-	2,700	128	65	4	X

LED Candle



Key Features:



Lasts for 25, 000 hours



High lumen Output



2700K – CRI > 82




Instant start



Non-dimmable

Certification:



Cap available in:



Order code	Description	Watts (energy used)	Cap type	Lumens (light output)	Life (hours)	Beam angle (degrees)	Colour (K)	Length (mm)	Max Diameter (mm)	Outer box	Box
LED Candle											
120LB5B22CLR27KV3	LED Candle 5W B22 Clear 2700K 330lm 1PK	5	B22	330	25,000	-	2,700	101	36	4	X
120LB5B22COA27KV3	LED Candle 5W B22 Coated 2700K 330lm 1PK	5	B22	330	25,000	-	2,700	101	36	4	X
120LB5E14CLR27KV3	LED Candle 5W E14 Clear 2700K 330lm 1PK	5	E14	330	25,000	-	2,700	101	36	4	X
120LB5E14COA27KV3	LED Candle 5W E14 Coated 2700K 330lm 1PK	5	E14	330	25,000	-	2,700	101	36	4	X
120LB5E27CLR27KV3	LED Candle 5W E27 Clear 2700K 330lm 1PK	5	E27	330	25,000	-	2,700	101	36	4	X
120LB5E27COA27KV3	LED Candle 5W E27 Coated 2700K 330lm 1PK	5	E27	330	25,000	-	2,700	101	36	4	X
TBC	LED Standard Candle 6W E14 Coated 470lm Non-dim 2700K	6	E14	470	25,000	-	2,700	117	40	4	X
TBC	LED Standard Candle 6W E14 Clear 470lm Non-dim 2700K	6	E14	470	25,000	-	2,700	117	40	4	X

LED Mini Globe



Key Features:



Lasts for 25, 000 hours



High lumen Output



2700K – CRI > 82




Instant start



Non-dimmable

Certification:



Cap available in:



Order code	Description	Watts (energy used)	Cap type	Lumens (light output)	Life (hours)	Beam angle (degrees)	Colour (K)	Length (mm)	Max Diameter (mm)	Outer box	Box
LED Mini Globe											
120LMG5B22COA27KV3	LED Mini Globe 5W B22 Coated 2700K 330lm 1PK	5	B22	330	25,000	-	2,700	84	42	4	X
120LMG5E14COA27KV3	LED Mini Globe 5W E14 Coated 2700K 330lm 1PK	5	E14	330	25,000	-	2,700	84	42	4	X
120LMG5E27COA27KV3	LED Mini Globe 5W E27 Coated 2700K 330lm 1PK	5	E27	330	25,000	-	2,700	84	42	4	X
TBC	LED Standard Mini Globe 6W E27 Coated 470lm Non-dim 2700K	6	E27	470	25,000	-	2,700	88	49	4	X
TBC	LED Standard Mini Globe 6W E14 Coated 470lm Non-dim 2700K	6	E14	470	25,000	-	2,700	88	49	4	X

LED Reflectors



Key Features:



Lasts for 25, 000 hours



High lumen Output



2700K – CRI > 82




Instant start



Dimmable & non-dimmable version

Certification:



Cap available in:



Order code	Description	Watts (energy used)	Cap type	Lumens (light output)	Life (hours)	Beam angle (degrees)	Dimmable	Colour (K)	Length (mm)	Max Diameter (mm)	Outer box	Box
LED Reflectors												
120LR436GU103KV4S	LED GU10 4W GU10 3000K 250lm Silver 1PK	4	GU10	250	25,000	36	-	3,000	52	50	4	X
120LR436GU104KV4S	LED GU10 4W GU10 4000K 250lm Silver 1PK	4	GU10	250	25,000	36	-	4,000	52	50	4	X
120LR50536E143KV4S	LED R50 5W E14 3000K 330lm Silver 1PK	5	E14	330	25,000	36	-	3,000	82	50	4	X
120LR536GU103K30DS	LED GU10 5W GU10 3000K 330lm Silver 1PK Dim	5	GU10	330	25,000	36	Yes	3,000	52	50	4	X
120LR536GU103KDS	LED GU10 5W GU10 3000K 220lm Silver 1PK Dim	5	GU10	220	25,000	36	Yes	3,000	52	50	4	X
120LR536GU103KV4S	LED GU10 5W GU10 3000K 330lm Silver 1PK	5	GU10	330	25,000	36	-	3,000	57	50	4	X
120LR536GU104KV4S	LED GU10 5W GU10 4000K 330lm Silver 1PK	5	GU10	330	25,000	36	-	4,000	57	50	4	X
120LR5GU103K10PKV4S	LED GU10 5W GU10 3000K 330lm Silver 10PK	5	GU10	330	25,000	36	-	3,000	57	50	4	X
TBC	LED Standard GU10 5W GU10 330lm Dim 4000K Silver finned	5	GU10	330	25,000	36	Yes	4,000	52	50	4	X
TBC	LED COB GU10 6W GU10 470lm Non-dim 3000K Silver smooth	7	GU10	470	25,000	36	-	3,000	57	50	4	X
TBC	LED COB GU10 6W GU10 470lm Non-dim 4000K Silver smooth	7	GU10	470	25,000	36	-	4,000	57	50	4	X
120LR164363KV4S	LED MR16 4W GU5.3 3000K 200lm 1PK	4	GU5.3	200	25,000	36	-	3,000	53	50	4	X
120LR166363KV4S	LED MR16 6W GU5.3 3000K 330lm 1PK	6	GU5.3	330	25,000	36	-	3,000	53	50	4	X
TBC	LED Standard MR16 6W GU5.3 330lm Non-dim 3000K Silver finned	6	GU5.3	330	25,000	36	-	3,000	53	50	4	X
TBC	LED Standard MR16 7W GU5.3 540lm Non-dim 3000K Silver finned	7	GU5.3	540	25,000	36	-	3,000	53	50	4	X