





GE  
Lighting



## LED Filament Heliax Dimmable

LED Fil Heliax Pear 5.5W Dim 820 E27

**93078646**

### Product information

The LED Filament Heliax is the brand new product range of GE Lighting that is developed using the new LED filament technology: the flexible filament. Designed with a spiral and installed in nice decorative shapes, this new range offers high quality, high value and high aesthetic of light and creates a designed atmosphere for your customized application. You will enjoy seeing it in the restaurants, at the hotel reception desks, at design shops as well as in your living room.

### Application areas



Retail



Hospitality



Home

## Product data

Product Code	93078646
Bulb Shape	ST64
Bulb Finish	Gold
Bulb maximum overall diameter [mm]	64
Nominal Length [mm]	140
Net weight per piece [g]	46
RoHS compliant	Yes
Brand	GE BX
Cap/Base	E27

## Performance data

Nominal/ Rated Beam Angle [°]	310
Rated efficacy [lm/W]	45.5
Energy efficiency class (EEC)	A
Rated life L70/B50 [h]	15000
Nominal correlated colour temperature (CCT) [K]	2000
Nominal lumens [lm]	250
Colour Rendering Index (CRI) [Ra]	80


## Electrical data

Nominal lamp power factor...	0.7
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Starting time (sec)	<0.5s
Warm up time up to 60% of full light output	Instant full light
Number of switching cycles	15000
Dimming Capability	Yes
Nominal lamp voltage range [V]	220-240V
Nominal power [W]	5.5

## Logistic data

DUN Code	10064894585163
EAN Code	0064894585081
Pack Quantity	6
Product status	Available

## Photometric Data



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Photometry \(IES\)](#)

[Datasheet \(PDF\)](#)

[Images \(HTTP\)](#)

[Dialux offline Plugin \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)