
Trungsram

European Producer Lighting Solutions

Innovation is our heritage EST.1896







Dimmable Bright Stik™ LED DimSTIK 14(100)830 E27 TU 93104210

Product information

TUNGSRAM keeps innovating and introduces the Dimmable Bright Stik to complete the most successful range* in the LED lamps to replace CFL and eCFL.

Bright Stik™ Led Lamp range won the IDEA
 Bronze design award in 2017 and the IF Design award in 2018

Application areas









Other



Dimmable Bright Stik™ LED DimSTIK 14(100)830 E27 TU 93104210

Product data

Product Code	93104210
Bulb Shape	T45
Bulb Finish	White
Bulb maximum overall diameter [mm]	45
Nominal Length [mm]	138
Net weight per piece [g]	69
Dimmability	Yes
RoHS compliant	Yes
Brand	Tungsram
Cap/Base	E27

Performance data

Nominal/ Rated Beam Angle [°]	240
Rated Lumens [lm]	1521
Weighted energy consumption [kWh/1000h]	14
Rated efficacy [lm/W]	108.64
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	15000
Nominal correlated colour temperature (CCT) [K]]	3000
Nominal lumens [lm]	1521
Colour Rendering Index (CRI) [Ra]	80

Dimmable Bright Stik™ LED DimSTIK 14(100)830 E27 TU 93104210


Electrical data

Nominal lamp power factor	>0.7
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Starting time (sec)	<0.5 s
Warm up time up to 60% of full light output	Instant on
Number of switching cycles	50k
Nominal lamp voltage range [V]	220-240V 50/60Hz
Nominal power [W]	14

Logistic data

Shipment	Standard
DUN Code	15994100019951
EAN Code	5994100019954
Pack Quantity	15
Product status	Available

Photometric Data





Dimmable Bright Stik™ LED DimSTIK 14(100)830 E27 TU 93104210

Downloads & Links

Go to the catalog site (HTTP)
Photometry (IES)
Product datasheet (PDF)
Datasheet (PDF)
Images (HTTP)

