

GE JUNGSRAM™

Innovation is our heritage
EST. 1896

A+
energy class

92
lumens/watt

T5 Batten Switch


LBTE 12 WW 3ft SWITCH

93053143



Product information

The LED T5 Batten designed to be a direct replacement for conventional battens, with energy savings. It offers multiple installation methods to ease your worries and bring the customer a brand new experience of soft lighting. The luminaire is fitted with an on/off switch for individual operation. The best choice for smooth linear lighting. We offer this range of 8 luminaires in 4 wattages.



Product data

Mounting type	Surface mount
Brand	GE Lighting
IP Rating	20
Certifications	CE/EAC
Body colour	White
Weight [kg]	0.16
DIALux description	TUNGSRAM - T5 Batten Switch - 1100lm - 12W - 3000K - 80CRI - 93053143[SKU] - Surface mount
IEC protection classes	Class II
Impact resistance (IK)	IK02
Dimensions	881.5x25.9x37.3mm
Energy efficiency class (EEC)	A+

Performance data

Rated life L70/B50 [h]	30000
Operating Voltage	220-240V
Ambient Temperature [°C]	-20°C to +40°C
Rated efficacy [lm/W]	92
Total system power	12
Nominal lumens [lm]	1100
Rated lumens [lm]	1100
Rated power [W]	12
Nominal correlated colour temperature (CCT) [K]	3000
Colour rendering index (CRI) [Ra]	80+

Optical data

Nominal beam angle [°]	170°
------------------------	------


Electrical data

Nominal lamp power factor	0.9
Controllability	Not dimmable electronic (Static)

Logistic data

Product status	Available
Shipment	Standard

Photometric Data



Downloads & Links

- [Go to the catalog site \(HTTP\)](#)
- [Datasheet - TUNGSRAM \(PDF\)](#)
- [Datasheet - GE Lighting \(PDF\)](#)
- [Installation Guide \(PDF\)](#)
- [Images \(HTTP\)](#)