


# Ultra Series

## Electronic Transformer



Type	Unit	ULTRA70 0-70W	ULTRA105 0-105W
Rated supply voltage	V	220-240	220-240
Frequency	Hz	50/60	50/60
Input current	A	0.29	0.48
Secondary voltage	V	11.5	11.5
Lamp wattage	W	0-70	0-105
Efficiency	%	>95	>95
Power factor	$\lambda$	>0.99	>0.99
Input capacitance	nF	100	150
Operating temperature ta	°C	50	50
Max. casing temperature tc	°C	80	80
Dimming For LED Lamp, Proper matching between dimmer, lamp, and driver is required		Leading and trailing edge dimmers	Leading and trailing edge dimmers
Primary terminal		2-pole, screw terminal Dia. 5.2mm	2-pole, screw terminal Dia. 5.2mm
Secondary terminal		2-pole, screw terminal Dia. 3.2mm	2-pole, screw terminal Dia. 3.2mm
Dimensions LxWxH	mm	113x44x28	113x44x28
Weight	g	110	120

- Electronic transformer for 12V halogen lamp as well as other type of low loading lamps which require supply of 12V ac LED lamp
- Captured terminal screws
- High efficiency (95%)
- Safe no-load operation
- Overload & short circuit protection with self resetting
- Over temperature cut off
- Dimmable with leading edge or trailing edge dimmer
- Thermally stable and shatter-proof plastic casings
- Long converter life=50,000 hours
- Simple installation

