

Clio LED

CLIO 280 HO LED 10W NW EB

3079106



Range Features

-



PRODUCT OVERVIEW

Colour temperature (K)	4000
Colour	White
Luminous flux (lm)	760
Housing	Polycarbonate
IK rating	IK07
IP rating	IP44
Mount	Surface Mounting
Ordering number	3079106
Average life (Rated) (h)	40000
Technology	LED
Voltage (V)	220-240

DATA TABLE

Optical data

Colour temperature (K)	4000
Distribution type	Direct
Luminous flux (lm)	760

Physical data

Colour	White
Diffuser finish	OPAL
Diffuser material	Polycarbonate
Height (mm)	108
IK rating	IK07
IP rating	IP44
Lamp included	Integrated
Length (mm)	280
Reflector finish	LED BOARD

Clio LED

CLIO 280 HO LED 10W NW EB

3079106

Width (mm) 280


General data

Control gear availability	Electronic
Control gear type	Integral
Environment	Interior / Exterior
General application	Hospitality, Residential & Consumer
Housing	Polycarbonate
Mount	Surface Mounting
Ordering number	3079106
Product name	CLIO 280 HO LED 10W NW EB
Average life (Rated) (h)	40000
Technology	LED
E-number FI	4271099

Electrical data

Drive current (mA)	200
Electrical protection	Class II
Total power consumption (W)	10
Voltage (V)	220-240

PHOTOMETRY



Clio LED

CLIO 280 HO LED 10W NW EB

3079106

