# **JГUNGSRAM**<sup>™</sup>

Innovation is our heritage EST. 1896



**110** lumens/watt

## Integrated Bulkheads G2 LED Bulkhead G2 TU D25 17W 830 S NNN 93119919

# **Product information**

Tungsram bulkhead range offer an excellent choice with simple and elegant design in 3 sizes. It is a wall and ceiling LED luminaire that can be used in versatile application areas including damp environments, entrance halls, receptions, stairwells, corridors, circulation routes, rest areas and outside walls of buildings. The range includes products with static and DALI control, motion sensor.

# Product data

Product code	93119919
Description	LED Bulkhead G2 TU D25 17W 830 S NNN
DIALux description	TUNGSRAM - Integrated Bulkheads G2 - 1870lm - 17W - 3000K - 80CRI - 93119919[SKU] - Surface
Brand	TUNGSRAM
Product category	Bulkheads
Product family	Integrated Bulkheads
Application areas	Office, public buildings, corridors
DUN Code	15994100084669
Light source	LED
Sensor	No sensor
Emergency option	No EM
Mounting type	Surface
Weight [kg]	0,5
Body color	White
Product dimensions (Length) x (Width) x (Height) [mm]	250 x 250 x 100
Operating temperature min [°C]	-25
Operating temperature max [°C]	45
Rated ambient temperature (tq) [°C]	45
Cooling	Passive
Certifications	CE, UKCA
General warranty [year]	5

#### Performance data

System power [W]	17
Nominal luminous flux [lm]	1870
Rated efficacy [lm/W]	110
Rated life L70/B50 [h]	60000
Rated life L80/B10 [h]	60000
IP front (optical)	65
IP back (electrical)	65
IP Rating	65
Impact resistance (IK)	IK10

#### Photometrical data

Photometric distribution	Wide
Nominal correlated colour temperature (CCT) [K]	3000K
Colour rendering index (CRI) [Ra]	>80
Nominal beam angle [°]	120
Colour consistency in MacAdam steps SDCM	max 6
Photobioligical risk	RG0


#### **Electrical data**

IEC protection class	Class II
Operating voltage [V]	220-240V
Rated frequency or frequency range [Hz]	50/60Hz
Lamp input current [mA]	77
Nominal lamp power factor	>=0.95
Controllability	Static

# Logistic data

Box quantity	1
Shipment	Standard
Product status	Available

# Light distribution



# Downloads & Links

Go to the catalog site (HTTP) Datasheet (PDF) Installation guide (PDF) Images (HTTP) Declaration of Conformity (PDF) Declaration of Conformity - Sensor (PDF) Datasheet (DSS) (PDF) Datasheets on all languages (HTTP)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.