
TUNGSRAM

Innovation is our heritage EST. 1896







Reflector OT 42W HALO R63/E27 230V TU BX 1/10 MIC 528693

Product information

GE's HaloReflector range is a direct replacement for regular incandescent lamps offering a crisp white light.

These bulbs are the environmentally friendly solution for those who prefer the features and light quality associated with incandescent bulbs.

- Last twice as long and consume up to 30% less electricity than corresponding incandescent lamps.
- Provide instant-on, full light output at start-up and lumens are maintained throughout the life of the product.
- Unlike some compact fluorescent products, these lamps are 100% retrofit with the incandescent lamps they replace.
- Can be used with dimming switches.
- Environmentally friendly with no lead or mercury.



- Up to 2,000 hours life
- Excellent colour rendering, light close to natural (100% CRI)
- More than 90% lumen maintenance over life

Application areas







Product data

Bulb ShapeReflectorBulb Diameter [mm]63Maximum Overall Length [mm]105Net weight per piece [g]38Gross weight per piece [g]55BrandTungsramCap/BaseE27	Product Code	528693
Maximum Overall Length [mm]105Net weight per piece [g]38Gross weight per piece [g]55BrandTungsram	Bulb Shape	Reflector
Net weight per piece [g] 38 Gross weight per piece [g] 55 Brand Tungsram	Bulb Diameter [mm]	63
Gross weight per piece [g] 55 Brand Tungsram	Maximum Overall Length [mm]	105
Brand Tungsram	Net weight per piece [g]	38
	Gross weight per piece [g]	55
Cap/Base E27	Brand	Tungsram
	Cap/Base	E27

Performance data

Nominal center beam candlepower (CBCP) [cd]	530
Weighted energy consumption [kWh/1000h]	44.54
Energy efficiency class (EEC)	D
Lamp Lumen Maintenance factor (2000 hours)	80%
Rated Life [h]	2000
Nominal correlated colour temperature (CCT) [K]	2600

Electrical data

Rated power [W]	42.0
Starting time (sec)	0.0 s
Warm up time up to 60% of full light output	instant
Number of switching cycles	8000
Dimming Capability	Yes
Nominal power [W]	42.0
Nominal lamp voltage [V]	230



Logistic data

DUN Code	15994100286933
EAN Code	5994100249610
Pack Quantity	10
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	180 EUR, 220 UK
Layer quantity EUR	180
Layer quantity UK	220
Pallet quantity EUR (PC)	1440
Pallet quantity UK (PC)	1760
Outer case size	340 x 145 x 130 (mm)
Product status	Phased-out

Downloads & Links

Go to the catalog site (HTTP)

Halogen Lamps Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)