

ToLEDo Micro-Lynx

TOLEDO MICROLYNX FROSTED 470LM 830

0026808



Product features

- ToLEDo Microlynx LED is the perfect replacement for GX53 CFL lamp
- Compact design
- 15,000 hours rated life
- Higher lumen output
- Good colour rendering - CRI80
- Non-dimmable
- 3 years warranty
- Perfect for kitchen cabinets, showcases, display units and wardrobes



PRODUCT OVERVIEW

IPC Code	0026808
Product name	TOLEDO MICROLYNX FROSTED 470LM 830
Technology	LED
Watt (Rated) (W)	5
Cap/Base	GX53
Fixture rating	Open
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
Luminous flux (lm)	470
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	80
Wattage (W)	5
Product Voltage (V)	230
Average life (Nominal) (h)	15000
Product EAN number	5410288268088

DATA TABLE

General data

IPC Code	0026808
Product name	TOLEDO MICROLYNX FROSTED 470LM 830
Technology	LED
Watt (Rated) (W)	5
Cap/Base	GX53
Fixture rating	Open
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959

Optical data

Luminous flux (lm)	470
Luminous flux (Rated) (lm)	470
Colour temperature (K)	3000

ToLEDo Micro-Lynx

TOLEDO MICROLYNX FROSTED 470LM 830

0026808

Light colour	Warm White
CRI (Ra)	80
Lumen maintenance at end of nominal life (%)	70

Electrical data

Wattage (W)	5
Equivalent watt (W)	40
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	1
Product Voltage (V)	230
Lamp power factor	0.5
No. Of switching cycles before premature failures	50000
Inrush Current (A)	2
Lamp Energy Label (class)	A+
kWh per 1000 hours burning time	5
Nominal Frequency (Hz)	50/60Hz
Max. Luminaires per 10A C Breaker	208
Max. Luminaires per 16A C Breaker	334
Max. Luminaires per 20A C Breaker	418

Lifetime data

Performance ambient temperature Tq (°C)	25
Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Nominal Product Length (mm)	74.3
Nominal Product Diameter (mm)	25
Weight (kg)	0.048

Packaging

Single packaging type	Carton
Product EAN number	5410288268088
Packaging single length / height (cm)	7.6
Packaging single width (cm)	2.7
Packaging single depth (cm)	7.6
DUN14 (outer)	15410288268085
Units per inner package	6
DUN14 (inner)	25410288268082
Units per outer package	6
Packaging outer length / height (cm)	16.0
Packaging outer width (cm)	9.0
Packaging outer depth (cm)	8.4

Safety data

Breakage cleaning instructions	Not applicable
--------------------------------	----------------

ToLEDo Micro-Lynx
TOLEDO MICROLYNX FROSTED 470LM 830
0026808

Special purpose lamp	No
Intended purpose	General lighting
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	Not Suitable for totally enclosed fixtures

