

# Blacklight BL368 Compact

Lynx-S 11W BL 368

0025412



## Range Features

- Features
- These BL368 tubes emit an upgraded highly concentrated radiation with peak around 368nm. Flying insect - eye sensitivity is generally at or near this frequency
- 100% improvement in effectiveness (at 368nm)
- Depreciation of UV-A output over time is significantly reduced (80% at 5000hrs of original 100 hour output)
- Performs longer and better throughout the insect season
- 
- Directions for use
- Maximum exposure limits are set by EN60335 2-59:1997 at an effective 1,0 milliWatt per metre squared (1,0 mW/m) measured at a distance of 1 metre - originally based on the recommendations of the National Radiological Protection Board in the UK. The irradiance value for a single BL BL368-lamp measured without reflector and/or fixture, in free air at 25 celsius, is varying between 0,2 and 0,4 mW/m depending on the wattage



## PRODUCT OVERVIEW

<b>EAN code</b>	5410288254128
<b>Cap/Base</b>	G23
<b>Watt (Nominal) (W)</b>	11
<b>Ordering number</b>	0025412
<b>Voltage (V)</b>	91

## DATA TABLE

### General data

<b>EAN code</b>	5410288254128
<b>Cap/Base</b>	G23
<b>Ordering number</b>	0025412

# Blacklight BL368 Compact

Lynx-S 11W BL 368

0025412

## Features

These BL368 tubes emit an upgraded highly concentrated radiation with peak around 368nm. Flying insect - eye sensitivity is generally at or near this frequency  
100% improvement in effectiveness (at 368nm)  
Depreciation of UV-A output over time is significantly reduced (80% at 5000hrs of original 100 hour output)  
Performs longer and better throughout the insect season

## Range features

### Directions for use

Maximum exposure limits are set by EN60335 2-59:1997 at an effective 1,0 milliWatt per metre squared (1,0 mW/m) measured at a distance of 1 metre - originally based on the recommendations of the National Radiological Protection Board in the UK. The irradiance value for a single BL BL368-lamp measured without reflector and/or fixture, in free air at 25 celsius, is varying between 0,2 and 0,4 mW/m depending on the wattage

<b>Product name</b>	Lynx-S 11W BL 368
<b>Sales pack quantity</b>	50
<b>E-number FI</b>	4940705

## Electrical data

<b>Watt (Nominal) (W)</b>	11
<b>Voltage (V)</b>	91

## Physical data

<b>Single packaging type</b>	Box/Sleeve
<b>Weight (kg)</b>	0.06
<b>Outer package dimensions (L x W x H) (cm)</b>	24.10 x 19.10 x 24.90
<b>Single package dimensions (L x W x H) (cm)</b>	2.30 x 3.60 x 23.70

## TECHNICAL DRAWINGS

