



**A**  
energy class

**78**  
lumens/watt


## Ceiling Light IP20


LED Ceiling G1 TU SC 18W 840 SN IP20  
93115051

### Product information


A simple and elegant light fitting, designed with Integrated LED Light Module for interior applications. It is a wall and ceiling LED luminaire that can be utilised in versatile application ranges including entrance halls, receptions, stairwells, corridors, circulation routes, rest areas of buildings.

**TUNGSRAM** 93115051  
LED Ceiling G1 TU SC  
18W 840 SN IP20

 This luminaire contains built-in LED lamps.

 **L  
E  
D**

The LED lamps cannot be changed in the luminaire

874/2012 

## Product data

DIALux description	TUNGSRAM - Ceiling Light IP20 - 1400lm - 18W - 4000K - 80CRI - 93115051[SKU] - Wall mounted
Brand	TUNGSRAM
Mounting type	Wall mounted
Weight [kg]	0.55
Body color	White
Product dimensions (Length) x (Width) x (Height) [mm]	ø315x65mm
Certifications	CE

## Performance data

Rated efficacy [lm/W]	78
Rated life L70/B50 [h]	25000
IP Rating	20
Impact resistance (IK)	IK03
Energy efficiency class (EEC)	A
Rated power [W]	18
Nominal lumens [lm]	1400
Rated lumens [lm]	1400
Ambient Temperature [°C]	0°C to +25°C

## Photometrical data

Nominal correlated colour temperature (CCT) [K]	4000
Colour rendering index (CRI) [Ra]	80+
Nominal beam angle [°]	120°


## Electrical data

IEC protection class	Class I
Operating voltage [V]	220-240V
Nominal lamp power factor	>0.5

## Logistic data

Box quantity	1
Shipment	Standard
Product status	Available

## Light distribution



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Datasheet \(PDF\)](#)

[Installation guide \(PDF\)](#)

[Images \(HTTP\)](#)

[DoC Document \(PDF\)](#)