



 PRODUCT-DETAILS

100110K

BRIOSPOT R 60LA



General Information

Extended Product Type	100110K
Product ID	7TCA309010R0112
EAN	5415022522112
Catalog Description	BRIOSPOT R 60LA
Long Description	BAES - Briospot Montage Encastré - Evacuation Led - Autotestable SATI

Eco Transparency

Environmental Product Declaration - EPD	9AKK108469A1683
---	-----------------

Additional Information

Product Main Type	STANDARD EMERGENCY LIGHTING
Marketing Video	9AKK108466A7145

Ordering

EAN	5415022522112
UPC	075114427708

Dimensions

Product Net Height	8.5 mm
Product Net Depth / Length	220 mm
Product Net Width	128 mm
Product Net Weight	1.12455 lb 510 g

Technical

Function	Escape route signage
Functional Testing Capability	Automatic Self Test
Mounting Type	Built-in
Degree of Protection	IP43
Impact Resistance Rating	IK04
Viewing Distance	15 m
Lamp Type	LED exchangeable
Illuminance	Emergency Mode 45 lm Standby Mode 3 lm
Light Distribution Type	Diffuser Lens
Number of Poles	8P
Number of Batteries	1
Battery Chemical Composition	Nickel-Metal Hydride
Battery Type	Industrial
Battery Autonomy	1 hour
Battery Weight	50 g
Housing Color	White
Housing Material	Plastic
Cover Material	Plastic, Transparent
Ambient Temperature	IEC62722-2-1 0 ... 40 °C
Ballast Type	Electronic 6000 K
Connection Type	Pluggable
Cross-Section (A_{cross})	Conductor 1.5 mm ²
Energy Efficiency Class	A++
Input Voltage Type	AC
Marking Type	InsertSheet 0.5 W
Power Factor	0.4
Power Supply Type	Peripheral (Individual Battery)
Rated Voltage (U_r)	230 V
Type of Indicator	Single/double-sided
Wiring Configuration	Suitable for through wiring
Protection Class	Isolated (Class II)

Environmental

WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm)

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	5415022522112
Package Level 1 Height	140 mm
Package Level 1 Depth / Length	245 mm
Package Level 1 Width	125 mm
Package Level 1 Gross Weight	0.655 kg

Certificates and Declarations

Data Sheet, Technical Information	9AKK108466A8455
Instructions and Manuals	9AKK108466A7539
Declaration of Conformity - CE	9AKK108468A4502
NF Certificate	9AKK108467A4020

External Classifications and Standards

ETIM 8	EC001957 - Emergency luminaire
ETIM 9	EC001957 - Emergency luminaire

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Emergency Lighting

